



ROBIN INDUSTRY
www.robinindustry.com




**SHOE
MACHINE**
Supplier

ROBIN INDUSTRY CO., LIMITED

 Room1216 XinCheng Square , Jianggan district, HangZhou, Zhejiang, China. Zip Code:310021.

 lisa@robinindustry.com , robinindustry@hotmail.com

 +86-15372408270 +86-571-85241732

 Skype : robinindustry WhatsApp:+86-18268819406

 Website: www.robinindustry.com

2018

**SHOE
MACHINE**
Supplier

WHERE?



OUR PRODUCTS HAVE BEEN EXPORTED TO MORE THAN 40 COUNTRIES



ROBIN INDUSTRY CO., LIMITED



content

Professional Supplier of Shoe Machine

ABOUT ROBIN INDUSTRY

SHOE MACHINE

- Shoe Repair Machine
- Industrial Sewing Machine
- Shoe Washing Machine
- Shoe Stretcher Machine
- Shoe Cleaning Machine
- Key Cutting Machine

CONTACT US

About Robin Industry

Professional Supplier of Shoe Machine

ROBIN INDUSTRY CO.,LIMITED was founded in 2003 and Since then have maintained healthy, rapid and sustainable development in the export of shoe repair series products to the footwear and shoe repair.

ROBIN INDUSTRY provide Production & OEM & Wholesale & distribution of shoe repair finisher machine, shoe repair materials(rubber shoe half sole,rubber shoe heel,rubber soling sheet),paper insole board,shoe sewing machine, shoe stretcher machine, shoe cleaning machine, shoe expander,shoe tree, shoe brush, shoe horn, shoe insole, and other shoe related products.

Ever since established, it brings its design and products quality in line with international practice.To meet the high demands of the international guests, ROBIN INDUSTRY improve more product line of shoe repair & footwear,and all products are reasonalbe in price, ROBIN INDUSTRY provide more diversified services, it had help customers to save more time, and full win the trust of customers.

Up to now, ROBIN INDUSTRY had exported a series of shoe repair products to USA, UK, Canada, Poland, Mexico,Saudi Arabia, Australia, South Africa, Nigeria,Singapore, Kuwait, Sri Lanka,Oman,Cameroon and etc,

Find out more about the benefits of sourcing from shoe repair series products , Send us your inquiries today and get our catalogue.

Shoe Repair Machine

Professional Supplier of Shoe Machine

RC-01 SHOE REPAIR MACHINE



Specification
Combined finisher with Press
Sole trimmer & heel trimmer
Heel breaster on bayonet
Sanding belts,belt tension manual
Polishing tools on interchangeable shaft
Dust extraction integrated
Lighting integrated
Sliding device with sole cushion and heel press piece Compressor unit(additional)

Technical Parameter
Voltage:220V 50Hz
Power:Motor(370w+750w+600w)+Vacuum1100w+Light80w+AirCompressor550w=3450w
Size:170x73x208cm
Weight:501kg

RC-G01 SHOE REPAIR MACHINE



Specification
Combined finisher with Press
Naumkeag
Sole trimmer & heel trimmer
Heel breaster on bayonet
Sanding belts,belt tension manual
Polishing tools on interchangeable shaft
Dust extraction integrated
Lighting integrated
Sliding device with sole cushion and heel press piece Compressor unit(additional)

Technical Parameter
Voltage:220V 50Hz
Power:Motor(370w+750w+600w+120w)+Vacuum1100w+Light80w+AirCompressor550w=3670w
Size:170x73x208cm Weight:520kg

Shoe Repair Machine

Professional Supplier of Shoe Machine

RC-02 SHOE REPAIR MACHINE



Specification
Combined finisher
Sole trimmer& heel trimmer
Heel breaster on bayonet
Sanding belts,belt tension manual
Polishing toolson interchangeable shaft
Dust extraction integrated

Technical Parameter
Voltage:220V 50Hz
Power:Motor (1100W + 750W + 600W) + Vacuum 1100W = 2820W
Size: 120 × 73 × 152cm
Weight: 333 kg

RC-02W SHOE REPAIR MACHINE



Specification
Combined finisher
Sole trimmer& heel trimmer
Heel breaster on bayonet
Sanding belts,belt tension manual
Polishing toolson interchangeable shaft
Naumkeag
Dust extraction integrated

Technical Parameter
Voltage:220V 50Hz
Power:Motor (1100W + 750W + 600W+120W) + Vacuum 1100W = 2940W
Size:120 × 73 × 152cm
Weight:350 kg

Shoe Repair Machine

Professional Supplier of Shoe Machine

RC-02C SHOE REPAIR MACHINE



Specification
Combined finisher with Press
Sole trimmer & heel trimmer
Heel breaster on bayonet
Sanding belts, belt tension manual
Polishing tools on interchangeable shaft
Dust extraction integrated
Lighting integrated
Sterilization and Deodorization
Heating oven

Technical Parameter
Voltage: 220V 50Hz
Power: Motor (370W + 750W + 600W) + Vacuum 1100W + Light 80W + Sterilize 15W + Heating 900W = 3715W

RC-03Z SHOE REPAIR MACHINE



Specification
Compact size grinding machine
Heel breaster (quick change)
Sanding belts, belt tension manual
Naumkeag
Dust extraction integrated

Technical Parameter
Voltage:220V 50Hz
Power:Motor (750W + 120W) + Vacuum 1100W = 1970W
Size:85 × 73 × 152cm
Weight:236 kg

Shoe Repair Machine

Professional Supplier of Shoe Machine

RC-03N SHOE REPAIR MACHINE



Specification
Compact size grinding machine
Heel breaster (quick change)
Sanding belts, belt tension manual
Naumkeag
Dust extraction integrated

Technical Parameter
Voltage:220V 50Hz
Measurement: 850x700x1520mm
Weight:200kg

RC-06P SHOE REPAIR MACHINE



Specification
heel breaster on bayonet
sanding wheel on bayonet
polishing tools quick change
dust extraction integrated
lighting integrated

Technical parameter
Grinding speed:1450rpm power:550W
Dust absorption speed:2800rpm power:750W
Static balance aluminum tire
Spindle quenched: HRC26 ~ 32
Power supply: 220v 50HZ
Size: 85 × 53 × 135 cm
Weight 160kg

Shoe Repair Machine

Professional Supplier of Shoe Machine

RC-5P SHOE REPAIR MACHINE



Specification
heel breaster on bayonet
sanding wheel on bayonet
polishing tools quick change
dust extraction integrated
lighting integrated

Technical parameter
Grinding speed:1400rpm power:550W
Dust absorption speed:2800rpm power:370W
Power of lighting:40W
Power supply: 220v 50HZ
Size: 55 × 50 × 130 cm
Weight 85kg

RC-606 HIGH SPEED SHOE SOLE PRESS HYDRAULIC MACHINE



Specification
Power:110V220V/380V/---50HZ/60HZ
Motor power:1.1kw
Adjusting pressure:1-3.5Mpa
Stroke:150mm
Outline dimensions: 50*45*150cm
Weight:140kg

Product Feature:
This machine adopting hydraulic automatic pressurized system is used for attaching sole with uppers. as the force is adjustable ,the attachment between the two parts is strong,not unglued and durable.

Industrial Sewing Machine

Professional Supplier of Shoe Machine

SP368 MASTER OUTSOLE STITCHING MACHINE



PRODUCT PARAMETER:

Sewing speed: Stepless speed regulating
Sewing thread: Compound thread or linen thread
Stitch length: 3.5-12mm
Sewing thickness: 3-18mm
Sewing needle: 200#230#260#curved hook needle
Motor: 750W/ 220V one-phase 50-60hz
750W/ 380V three-phase 50-60hz
Net weight: 344Kg
Exportation packing gross weight: 402Kg
Exportation packing parameter: 80*86*162cm

CHARACTERISTICS:

1. Suitable for heavy soles and heavy work boots edges suture and right-angle perimeter shoes to penetrate seam processing.
2. All parts were manufactured by HAAS CNC machines, high precision machining parts.
3. Using electronic speed motor speed can be flexible, stop the needle position by computer control.



SP998 MASTER INSOLE STITCHING MACHINE



PRODUCT PARAMETER:

Sewing speed: Stepless speed regulating
Stitch: Double lock
Stitch length: 3-18mm
Sewing thickness: 6-20mm
Sewing needle: Straight hook needle(180#240#)
Motor: 750W/ 220V one-phase /50-60Hz
Net weight: 414Kg
Exportation packing gross weight: 496Kg
Exportation packing parameter: 98*98*190cm

CHARACTERISTICS:

1. Applicable to all kinds of shoes outsole and help the thoroughly, especially suitable for sewing processing rosin more strands of sewing thread.
2. All parts were manufactured by HAAS CNC machines, high precision machining parts.
3. Using electronic speed motor speed can be flexible, stop the needle position by computer control.



Industrial Sewing Machine

Professional Supplier of Shoe Machine

SP168 SIDE WALL SOLE STITCHING MACHINE



PRODUCT PARAMETER:

Sewing speed: Stepless speed regulating
Stitch: Double lock
Stitch length: 3-13mm
Sewing thickness: 6mm
Sewing needle: CP*5
Motor: 750W/ 220V one-phase 50-60hz
750W/ 380V three-phase 50-60hz
Exportation packing gross weight: 192 Kg
Exportation packing parameter: 114*66*144cm

CHARACTERISTICS:

1. Suitable for sports shoes, casual shoes side seam locking type sideline processing.
2. All parts were manufactured by HAAS CNC machines, high precision machining parts.
3. Using electronic speed motor speed can be flexible, stop the needle position by computer control.



SP268 HEAVY DUTY SHOES SIDE WALL SOLE STITCHING MACHINE



PRODUCT PARAMETER:

Sewing speed: Stepless speed regulating
Stitch: Double lock
Stitch length: 3-12mm
Sewing thickness: 1.5-5mm
Sewing needle: CP*5(25#/27#)
Motor: 750W/ 110V one-phase 50-60hz
750W/ 220V one-phase 50-60hz
750W/ 380V three-phase 50-60hz
Net weight: 192Kg
Domestic packing gross weight: 222Kg
Domestic packing parameter: 135*73*149(L*W*H) cm
Exported packing gross weight: 268 Kg

CHARACTERISTICS:

1. This machine is mainly suitable for sewing side seam of leather shoes and leisure shoes, especially for duty-working shoes.
2. Work footwear insole sewing machine is the indispensable equipment for producing the work shoes.
3. All parts of duty footwear insole stitching machine were manufactured by HAAS CNC machines, they have high precision.
4. Electronic speed motors can be used flexibly, stopping the needle position via computer control.



Industrial Sewing Machine

Professional Supplier of Shoe Machine

SP168SC SPECIAL SHOE STITCHING MACHINE FOR SANDALS



PRODUCT PARAMETER:

Sewing speed: Stepless speed regulating
 Stitch: Double lock
 Stitch length: 3-13mm
 Sewing thickness: 6mm
 Sewing needle: CP*5
 Motor: 750W/ 220V one-phase 50-60hz
 750W/ 380V three-phase 50-60hz
 Net weight: 140Kg
 Domestic packing gross weight: 170Kg
 Domestic packing parameter:
 118*65*140(L*W*H) cm
 Exported packing gross weight: 210 Kg
 Exported packing parameter:
 114*66*144(L*W*H) cm

CHARACTERISTICS:

1. Arab slippers insole sewing machine is mainly suitable for Arab slippers.
2. It can use braided wire, and will not appear the knots phenomenon.
3. All parts were manufactured by HAAS CNC machines, which are of high precision.
4. Arab slippers insole stitching machines use electronic speed motors, speed can be flexible, stopping the needle position via computer control.



SP781 UPPER MOCCASIN PATTERN STITCHING MACHINE



PRODUCT PARAMETER:

Sewing speed: 400RPM
 Stitch length: 0-8mm
 Needle spacing: 6mm
 Sewing needle: DD*1
 Motor: 750W/ 220V one-phase /50-60HZ
 Net weight: 180Kg
 Domestic packing gross weight: 200Kg
 Domestic packing parameter:
 130*73*135(L*W*H) cm
 Exported packing gross weight: 240 Kg
 Exported packing parameter:
 131*78*144(L*W*H) cm

CHARACTERISTICS:

1. Suitable for footwear upper moccasin sewing. twelve sewing patterns can be set according to operators' requirements.
2. All parts were manufactured by HAAS CNC machines, which are of high precision.
3. Electronic speed motors can be used flexibly, stopping the needle position via computer control.



Industrial Sewing Machine

Professional Supplier of Shoe Machine

SP800 INSOLE OVERSEAM LEATHER INDUSTRIAL SEWING MACHINE



PRODUCT DESCRIPTION:

Overseam machine for shoes-insole stitching

This machine have two type, one is Single Thread Insole Overseam Leather Industrial Sewing Machine, the other is Double Thread Insole Overseam Leather Industrial Sewing Machine

SP801 LEATHER SKIVING MACHINE



PRODUCT DESCRIPTION:


Features:

The knife grinder makes the knife sharp. It attached automatically bits removing equipment, The transmission of ball bearing makes the machine running smooth with low noise and long life. It can be used for skiving edges and skiving thinner of surfaces of shoes. leather shoes. handbags and gloves which made of fur leather and rubber
 Weight:44kg
 Package Size:61*44*44CM

Industrial Sewing Machine

Professional Supplier of Shoe Machine

RC-03 SHOE SEWING MACHINE



Features:

It is suitable for sewing and repairing the heavy materials as leather, rubber, canvas etc. such as shoes, riding boot, luggage, and any cylindraceous articles. At the same time, it can make better effect when sewing the tubal articles as canvas etc.

Specifications:

Max. Sewing speed:500 R.P.M
Stitch length:1-5MM
Presser foot lift:7MM
Needle system:DP*17 / 14#/16#/18#
The space on right side between needle bar:311MM
Needle bar stroke:32.6MM
Weight:32kg
Size:59*29*49CM

RC-LA03 SHOE SEWING MACHINE



Features:

It is suitable for sewing and repairing the heavy materials as leather, rubber, canvas etc. such as shoes, riding boot, luggage, and any cylindraceous articles. At the same time, it can make better effect when sewing the tubal articles as canvas etc.

Specifications:

Max. Sewing speed:500 R.P.M
Stitch length:1-5MM
Presser foot lift:7MM
Needle system:DP*17 / 14#/16#/18#
Long arm:450MM
Weight:45kg
Size:59*29*49CM

Industrial Sewing Machine

Professional Supplier of Shoe Machine

32-4A INSOLE SEWING MACHINE



RC-32-4A: Can sew shoe sole thickness between 0.5cm --- 1.5cm

RC-32-4A1: Can sew shoe sole thickness between 1.5cm --- 2.5cm

Use:set into the whole shoes and shoe Soles upward and stitching the bottom line
The feature of machine: the height of head is 2cm, generally applicable to stitch the Cotton shoe insole

Package Size:60x18x45cm

32-3A FLAT HEAD SEWING MACHINE



RC-32-3A:Stitching the false line for the shoe sole or flat stitching with thick line of products, for example sewing cloth.

Sewing Thickness: 2cm----3.5cm

Package Size:60x18x45cm

Weight: 20kg

32-2A SIDE SOLE SEWING MACHINE



RC-32-2A:The feature is large head and large bobbin, it suitable for travel shoes & warm shoes & Relatively high toe shoes.

RC-32-2A1:The feature of this machine is large head, it suitable for leather shoes,or toe is short.

RC-32-2A2: The feature of this machine is small head, it suitable for children shoes from Size15 to Size35.

Package Size:60x18x45cm

32-1A SHOE SEWING MACHINE



RC-32-1A:Chinese old-fashioned shoe repair machine

Feature, Can sewing different material shoe by nylon or cotton wire.(Such as cloth shoes , rubber shoes , leather shoes , sneakers , high heels , as well as raincoats , leather bags , cloth , trousers, or other leather products...

Package Size:48x15x30cm

Shoe Washing Machine

Professional Supplier of Shoe Machine

RC-120 SHOE WASHING DRYING MACHINE



Shoes washing machine type	Automatic
Oven working way	Hot and cold air drying
Oven power	3000W
Voltage	220V
Rated washing capacity	5.6KG
Rated Dehydration capacity	5.6KG
Standard water consumption	156L
Washing power	340W
Dehydration Power	240W
Use water pressure	0.03-1Mpa
Wash Noise	≤62dB
Dehydration noise	≤72dB

RC-56 SHOE WASHING MACHINE



Product Description:
Efficiency: used for shoe washing, and wash 5 pairs shoes once
Wash Power: 340W
Dimension: 58x61x93cm
Voltage: 220V, 50/60hz
The main difference between RC-60type & RC-56type & RC-120type & RC-65type washing machine:
60 type just used for drying and sterilization functions, it can not wash shoes, the 56 type is just used for washing shoes, then 120type and 65 type, they used for washing and drying, the difference is structure: 120 type is left and right structure, 65 type is up and down structure.

Shoe Washing Machine

Professional Supplier of Shoe Machine

RC-65 SHOE WASHING MACHINE



Washing 5 Pairs And Drying 6 Pair In One Time	
Shoes Washing Machine Type	Automatic
Oven Working Way	Hot And Cold Air Drying
Oven Power	3000w
Voltage	220v
Rated Washing Capacity	5.6kg
Rated Dehydration Capacity	5.6kg
Standard Water Consumption	156l
Washing Power	340w
Dehydration Power	240w
Use Water Pressure	0.03-1mpa
Wash Noise	≤62dB
Dehydration noise	≤72dB

RC-60 SHOE WASHING MACHINE



drying 8 pair in one time	
Shoes washing machine type	Automatic
Oven working way	Hot and cold air drying
Oven power	3000W
Voltage	220V
Rated washing capacity	5.6KG
Rated Dehydration capacity	5.6KG
Standard water consumption	156L
Washing power	340W
Dehydration Power	240W
Use water pressure	0.03-1Mpa
Wash Noise	≤62dB
Dehydration noise	≤72dB

Shoe Stretcher Machine

Professional Supplier of Shoe Machine

RC-05 SHOE STRETCHER MACHINE



Use: Affordable compact stretching and lengthening unit

Include: Men, Women ,High-heeled&Child lasts

Scope of use: this shoe stretcher machine can be used in hotel, home, supermarket, shoe repair shop, and office

Color: red

Measurement: 40 × 30 × 37cm

Weight: 11 kg

RC-23 SHOE STRETCHER MACHINE



Use: Affordable compact stretching and lengthening unit

Include: Men, Women ,High-heeled&Child lasts

Scope of use: this shoe stretcher machine can be used in hotel, home, supermarket, shoe repair shop, and office

Color: red

Measurement: 60 × 43 × 38cm

Weight: 21 kg

Shoe Stretcher Machine

Professional Supplier of Shoe Machine

RC-33 HEATING SHOE STRETCHER MACHINE



Use: Affordable compact stretching and lengthening unit

Include: Men, Women ,High-heeled&Child lasts

Scope of use: this shoe stretcher machine can be used in hotel, home, supermarket, shoe repair shop, and office

Color: red

Voltage: 220V 50Hz

Measurement: 42 × 31 × 46cm

Weight: 16 kg

RC-34 HEATING SHOE STRETCHER MACHINE



Use: Affordable compact stretching and lengthening unit

Include: Men, Women ,High-heeled&Child lasts

Scope of use: this shoe stretcher machine can be used in hotel, home, supermarket, shoe repair shop, and office

Color: red

Voltage: 220V 50Hz

Measurement: 60 × 43 × 40cm

Weight: 28 kg

Shoe Stretcher Machine

Professional Supplier of Shoe Machine

RC-G05 SHOE STRETCHER MACHINE



Use: Affordable compact stretching and lengthening unit

Include: Men, Women & Child lasts

Scope of use: this shoe stretcher machine can be used in hotel, home, supermarket, shoe repair shop, and office

Color: Silver

Crafts: Plating

Measurement: 43x46x22cm

RC-04 BOOT STRETCHER MACHINE



Use: Affordable compact stretching and lengthening unit

Include: Men, Women, High-heeled & Child lasts

Scope of use: this shoe stretcher machine can be used in hotel, home, supermarket, shoe repair shop, and office

Color: red


Measurement: 42 x 33 x 52cm

Weight: 25kg


Shoe Stretcher Machine

Professional Supplier of Shoe Machine

28A HEATING BOOT STRETCHER MACHINE



28B HEATING BOOT STRETCHER MACHINE



RC-H04 HEATING BOOT STRETCHER MACHINE




Use: Affordable compact stretching and lengthening unit

Include: Men, Women, High-heeled & Child lasts

Scope of use: this shoe stretcher machine can be used in hotel, home, supermarket, shoe repair shop, and office

Color: red

RC-35 BOOT STRETCHER MACHINE



Use: Affordable compact stretching and lengthening unit

Include: Men, Women, High-heeled & Child lasts

Scope of use: this shoe stretcher machine can be used in hotel, home, supermarket, shoe repair shop, and office

Color: red & silver

Measurement: 42 x 33 x 52cm

Shoe Cleaning Machine

Professional Supplier of Shoe Machine

RC-07 SHOE CLEANING MACHINE



Specification
Material: Wood / Stainless steel
Working pattern: induction/insert coin/manual
Shoe polish:150ML
Speed:1200
Measurement: 51x25x80cm
Weight: 25kg
Voltage:110-220V/220-240V,100watt
Color:Gold/Silver/Black
Scope of use:this shoe cleaning machine can be used in hotel, home ,office ,supermarket and many other places

RC-44 SHOE CLEANING MACHINE



Specification
Material: Wood / Stainless steel
Shoe polish:150ML
Speed:1200
Measurement: 51x32x48cm
Weight: 12kg
Voltage:110-220V/220-240V,100watt
Color:Gold/Silver/Black
Scope of use:this shoe cleaning machine can be used in hotel, home ,office ,supermarket and many other places

Key Cutting Machine

Professional Supplier of Shoe Machine

998C KEY CUTTING MACHINE



238BS KEYCUTTING MACHINE



WENXING Q39 KEYCUTTINGMACHINE



WENXING 100E1 KEYCUTTINGMACHINE

